

BREAST FAT GRAFTING

Breast surgeons striving for the best results in fat grafting need a breast-focused system. EXAFAT is the ultimate **ALL-IN-ONE** fat grafting system, expertly engineered to enhance:



RECONSTRUCTION



EXPLANTATION



AUGMENTATION



RESHAPING

THE COMPONENTS were designed to streamline EVERY STEP, ensuring:

EFFICIENT FAT HARVESTING

GENTLE FAT PROCESSING

OPTIMAL TISSUE EXPANSION

PRECISE FAT INJECTION

EXAFAT is built to deliver consistency and reliability for

SUPERIOR BREAST REDESIGN RESULTS

BETTER TOOLS REFINE TECHNIQUES
BETTER TECHNIQUES
IMPROVE OUTCOMES

CANNULA

DESIGNED TO BE FAST

12 rough ports distributed in 3 sides

PRECISE IN FAT SIZING

Ports size and 5mL vacuum harvest fat lobules smaller than 3mm Ø

GENTLE WITH THE DONOR SITE

1 port-free side helps prevent irregularities

COMFORTABLE

250mm x 3mm Ø

BENDABLE

Bends easily for fat harvesting in difficult donor areas

DUAL-USE

Can also be used for tumescent infiltration

ERGONOMIC

With winged connector for quick on/off screwing



VACUUM LOCKING 20mL SYRINGE



FOR PRECISE VACUUM CONTROL

Finery tunable with 5 mL increments to maintain optimal vacuum below 300 mmHg

REALLY USER-FRIENDLY

- Easy lock/unlock system for vacuum adjustments
- Comfortable for all hand sizes
- · Large wings and bold graduations

DON'T STOP! The 2 syringes supplied in the kit enable a smooth and continuous workflow

PROCESSING

FAT DIALYSING STATION



Operates in a closed-loop system

EFFICIENT

- Dialyses up to 200 mL of lipoaspirate per cycle
- Fast, effortless and time-saving


RESPECTFUL

Preserves adipose cell viability by retaining the SVF niche*

REPEATABLE

Delivers consistent fat purification across multiple cycles





STAGE 1

Once the Station is loaded with washing solution (1) and fat (2), dialysis begins based on density, separating non-adipose tissue components.
Oil rises (3), drugs are diluted, RBCs settle (4), and adipose tissue remains inside the dialysis filter



STAGE 2

Opening the waste outlet creates a gentle flow within the Station, efficiently draining the liquid phase, removing suspended non-adipose tissue components, and retaining purified fat inside the dialysis filter

INJECTION

2 CANNULAS

1 DUCKBILL BLUNT

Ideal for precise fat injection into scar tissue -150mm x 2.1mm Ø

2 ROUND BLUNT TIP

- Ideal for atraumatic fat injection into loosened tissue - 150mm x 2.1mm Ø
- 45° port angle to reduce fat shear stress during injection



OPTIMAL 150mm LENGTH

For consistent delivery of 1 mL of fat per ribbon

BENDABLE

To follow the natural breast contour

EASY FAT DISTRIBUTION

Ensures smooth and controlled injection of the structured fat

TISSUE EXPANSION

SUBCISION NEEDLE

ULTRA-SHARP LONG TIP

Enables precise subcision for scar release, minimizing collateral trauma through infusion of a vasoconstrictive solution

STRONG & STABLE

Built with a 16G \varnothing and a stainless-steel stylet for maximum strength


COMFORTABLE

The 150 mm length ensures a comfortable grip

The adjustable sliding stopper enhances finger stability for greater control

VERSATILE

Also enables efficient drainage, precise injection with centimeter markers, and ultrasound-guided biopsy




OTHER IMPORTANT COMPONENTS INCLUDED:

- 16G x 90mm Needle: For the entry-point of 2.1mm cannulas
- FLL FLL Connector: For fat transfer between syringes

FAT VIABILITY*


CELL VIABILITY AFTER SAMPLING:

Number of MSCs per mL of adipose tissue





IN VITRO PROLIFERATION:


Increase factor (ratio between final and initial number of MSCs at 7/14/21 days)



FAT PURITY









The **EXAFAT** samples (Fig. 1& 2) exhibits a uniform composition, free from oil and red blood cells (RBCs).

In contrast, the images of the lipoaspirate obtained using the Coleman technique (Fig. 3 & 4) show blurred sections, indicating RBCs.

* Internal data provided by the Manufacturer



